

# HTML AND XHTML QUICK REFERENCE CHARTS: HEAD AND BODY MARKUP

Element	Description and Browser Support
<code>&lt;html&gt; ... &lt;/html&gt;</code>	Bounds of HTML or XHTML document
<code>&lt;head&gt; ... &lt;/head&gt;</code>	Document head (document meta data)
<code>&lt;base /&gt;</code>	Base URL for the document (i.e., original URL)
<code>&lt;isindex /&gt;</code>	Simple search interface (use <b>form</b> instead)
<code>&lt;link /&gt;</code>	Relationship(s) to other resources (e.g., style sheets)
<code>&lt;meta /&gt;</code>	Document meta-information (e.g., for search engines)
<code>&lt;script&gt; ... &lt;/script&gt;</code>	Inline script program (e.g., JavaScript, VBscript)
<code>&lt;style&gt; ... &lt;/style&gt;</code>	Style sheet rules [IE3+, NN4+, OP3.6+]
<code>&lt;title&gt; ... &lt;/title&gt;</code>	Document title (contains text only, no markup)
<code>&lt;body&gt; .. &lt;/body&gt;</code>	Document body (contains what gets displayed)
<code>&lt;address&gt; ... &lt;/address&gt;</code>	Address information
<code>&lt;blockquote&gt; ... &lt;/blockquote&gt;</code>	Block quotation
<code>&lt;center&gt; ... &lt;/center&gt;</code>	Center element contents (use <b>div</b> instead)
<code>&lt;div&gt; ... &lt;/div&gt;</code>	Block division of document
<code>&lt;hr&gt; ... &lt;/hr&gt;</code>	Headings, from <b>h1</b> to <b>h6</b>
<code>&lt;hr /&gt;</code>	Horizontal rule or divider
<code>&lt;p&gt; ... &lt;/p&gt;</code>	Paragraph
<code>&lt;pre&gt; ... &lt;/pre&gt;</code>	Preformatted text (preserve white space characters)
<code>&lt;form&gt; ... &lt;/form&gt;</code>	Fill-in form
<code>... &lt;keygen /&gt;</code>	Create encrypted key to identify user [NN3+, OP3.6+]
<code>... &lt;button&gt; ... &lt;/button&gt;</code>	Advanced input button [IE4+, NN6]
<code>... &lt;fieldset&gt; ... &lt;/fieldset&gt;</code>	Grouped set of input elements [IE4+, NN6]
<code>  &lt;legend&gt; ... &lt;/legend&gt;</code>	Label for a <b>fieldset</b> [IE4+, NN6]
<code>... &lt;label&gt; ... &lt;/label&gt;</code>	Label for an <b>input</b> [IE4+, NN6]
<code>... &lt;input /&gt;</code>	General input element (text, checkboxes, etc.)
<code>... &lt;select&gt; ... &lt;/select&gt;</code>	Selectable list of items
<code>  &lt;optgroup&gt; &lt;/optgroup&gt;</code>	Group of <b>option</b> elements in a selectable list [No support]
<code>  &lt;option&gt; ... &lt;/option&gt;</code>	Item in list (inside <b>select</b> or <b>optgroup</b> )
<code>... &lt;textarea&gt; ... &lt;/textarea&gt;</code>	Multi-line text input area
<code>&lt;dl&gt; ... &lt;/dl&gt;</code>	Glossary or description list
<code>  &lt;dt&gt; ... &lt;/dt&gt;</code>	Term in list
<code>  &lt;dd&gt; ... &lt;/dd&gt;</code>	Term description
<code>&lt;ol&gt; ... &lt;/ol&gt;</code>	Ordered list (., numbered)
<code>  &lt;li&gt; ... &lt;/li&gt;</code>	List item
<code>&lt;ul&gt; ... &lt;/ul&gt;</code>	Unordered list (e.g., bulleted)
<code>  &lt;li&gt; ... &lt;/li&gt;</code>	List item
<code>&lt;dir&gt; ... &lt;/dir&gt;</code>	Directory-style listing (use <b>ul</b> instead)
<code>  &lt;li&gt; ... &lt;/li&gt;</code>	List item
<code>&lt;menu&gt; ... &lt;/menu&gt;</code>	Menu list (use <b>ul</b> instead)
<code>  &lt;li&gt; ... &lt;/li&gt;</code>	List item
<code>&lt;table&gt; ... &lt;/table&gt;</code>	Tabular content (columns and rows)
<code>  &lt;caption&gt; ... &lt;/caption&gt;</code>	Table caption
<code>  &lt;colgroup&gt; ... &lt;/colgroup&gt;</code>	Define groups of columns [IE4+, NN6]
<code>    &lt;col /&gt;</code>	Set column properties [IE4+, NN6]
<code>  &lt;tbody&gt; ... &lt;/tbody&gt;</code>	Group rows making up table body [IE4+, NN6]
<code>  &lt;tfoot&gt; ... &lt;/tfoot&gt;</code>	Group rows making up table footer [IE4+, NN6]
<code>  &lt;thead&gt; ... &lt;/thead&gt;</code>	Group rows making up table header [IE4+, NN6]
<code>    &lt;tr&gt; ... &lt;/tr&gt;</code>	Table row (preferably inside <b>thead</b> , <b>tbody</b> or <b>tfoot</b> )
<td> ... </td>	Table content -- data
<th> ... </th>	Table content -- header (row or column description)
<code>&lt;multicol&gt; ... &lt;/multicol&gt;</code>	Multi-column text [NN4 only]
<code>&lt;frameset&gt; ... &lt;/frameset&gt;</code>	Frameset document ( <i>replaces</i> <b>body</b> element)
<code>  &lt;frame /&gt;</code>	Defines <b>frame</b> content (using a URL)
<code>  &lt;frameset&gt; ... &lt;/frameset /&gt;</code>	Subdivides a frame into additional frames
<code>  &lt;noframes&gt; ... &lt;/noframes&gt;</code>	Alternate content ( if frames not supported)
<code>    &lt;body&gt; ... &lt;/body&gt;</code>	a <b>body</b> (containing, in turn, regular <b>body</b> content)

## Key to this Figure

### HTML Version

- `<tag>` Standard elements
- `<u>tag` Netscape/Microsoft extensions – avoid if possible
- `<del>tag` Deprecated -- avoid if possible

### Element Tag Rules

- `<tag> ... </tag>` Element has content, and the end tag is *mandatory*.
- `<tag />` Element is empty.

### Element Content Rules

- ..... Right hand elements *must* be inside indicated left-hand element.
- Left hand element can contain the indicated right-hand elements.
- — — **frameset** is an alternative to the **body** element

### Browser Support Descriptions

Elements are supported by essentially all current browsers *unless* a list of browsers is given in square brackets after the description. If such a list is present, then *only* the listed browsers support the element. The following 2-letter notation is used to describe these browsers:

- IE Internet Explorer
- NN Netscape Navigator
- OP Opera
- LY Lynx
- WT WebTV

... followed by a browser version number. This may then be followed by a '+' sign if the element is also supported by subsequent versions of that browser

For example:

- IE4+ Supported by Internet Explorer 4 and greater.
- NN4 Supported by Navigator 4, but not by Navigator 6.

## HTML AND XHTML QUICK REFERENCE CHARTS: INLINE MARKUP

### Inline (Inclusion) Elements

<code>&lt;audioscope /&gt;</code>	Display audio chart [WT only]
<code>&lt;applet&gt; ... &lt;/applet&gt;</code>	Inline program (applet)
<code>&lt;... &lt;param /&gt;</code>	Parameter for <b>applet</b>
<code>&lt;img /&gt;</code>	Inline image
<code>&lt;iframe /&gt;</code>	Inline frame [IE3+, NN6]
<code>&lt;embed /&gt;</code>	Embed arbitrary data
<code>&lt;noembed&gt; ... &lt;/noembed&gt;</code>	Markup alternative to <b>embed</b>
<code>&lt;noscript&gt; ... &lt;/noscript&gt;</code>	Markup alternative to <b>script</b>
<code>&lt;object&gt; ... &lt;/object&gt;</code>	Embed data and/or data handling program/applet [IE4+, NN4+]
<code>&lt;... &lt;param /&gt;</code>	Parameter for <b>object</b>

### Inline (Character-like) Elements

<code>&lt;br /&gt;</code>	Forced line break
<code>&lt;spacer /&gt;</code>	Horizontal and/or vertical spacer [NN4+ only]
<code>&lt;wbr /&gt;</code>	Word break

### Inline (Meta-Information) Elements

<code>&lt;basefont /&gt;</code>	Set base font properties
<code>&lt;bgsound /&gt;</code>	Background audio [IE3+ only]
<code>&lt;map&gt; ... &lt;/map&gt;</code>	Client-side imagemap
<code>&lt;... &lt;area /&gt;</code>	Region of map
<code>&lt;script&gt; ... &lt;/script&gt;</code>	Script program for browser
<code>&lt;server&gt; ... &lt;/server&gt;</code>	Script program to run on server [Netscape servers only]

### Netscape Layer Elements [NN4 only]

<code>&lt;layer&gt; ... &lt;/layer&gt;</code>	Overlay presentation layer
<code>&lt;ilayer&gt; ... &lt;/ilayer&gt;</code>	Overlay layer (relative positioning)
<code>&lt;no layer&gt; ... &lt;/no layer&gt;</code>	Alternative for non- <b>layer</b> browsers

### Inline - Hypertext Anchors

<code>&lt;a&gt; ... &lt;/a&gt;</code>	Hypertext anchor
---------------------------------------	------------------

### NOTE on Lynx Browser Support.

Lynx is a text-mode browser that does not render inline images, and that can generally only display text using one font (with, in some cases, reverse video, boldface and underlining). Thus many inline text-formatting styles are not possible with Lynx. If you want pages to work with lynx, you want to avoid inclusion, character-like (except **br**) and special markup elements, and restrict yourself to only simple physical/logical elements (e.g., **em**, **strong**). You will also want to avoid **table** elements, and **framesets**.

## SIMPLIFIED ELEMENT CONTENT RULES FOR INLINE MARKUP

<b>Inclusion Elements</b>	If they can take content (many, like <b>img</b> , cannot), they take content appropriate to their <i>context</i> (i.e., text or inline markup if they are themselves inline, block markup if they are a block)
<b>Character-like &amp; Meta-Information</b>	Generally allowed inside any non-empty block or inline element that can appear inside the <b>body</b> (see also preceding page).
<b>Netscape Layer Elements</b>	Can contain almost any inline element or any element that can be placed inside the <b>body</b> element (see preceding page) -- they cannot appear in the document <b>head</b> .
<b>Physical/Logical Text Markup</b>	Can contain text or any of the other inline or special markup elements described above
<b>Hypertext Anchors</b>	Like physical or logical inline text markup, but <i>cannot</i> contain additional anchor elements.
<b>Special Markup</b>	Can contain text or almost any block or inline element, or any element that can be placed inside the <b>body</b> (see front cover)

### Inline (Physical Markup) Elements

<code>&lt;b&gt; ... &lt;/b&gt;</code>	Bold face
<code>&lt;blackface&gt; ... &lt;/blackface&gt;</code>	Extra bold [WT only]
<code>&lt;bdo&gt; ... &lt;/bdo&gt;</code>	Bi-directional override [IE4+, NN6]
<code>&lt;big&gt; ... &lt;/big&gt;</code>	Bigger
<code>&lt;blink&gt; ... &lt;/blink&gt;</code>	Blinking [NN1+ only]
<code>&lt;font&gt; ... &lt;/font&gt;</code>	Change font properties
<code>&lt;i&gt; ... &lt;/i&gt;</code>	Italics
<code>&lt;marquee&gt; ... &lt;/marquee&gt;</code>	Scrolling text [IE3+ only]
<code>&lt;no br&gt; ... &lt;/no br&gt;</code>	No line break
<code>&lt;s&gt; ... &lt;/s&gt;</code>	<del>Struck-through</del> [Not by Opera]
<code>&lt;small&gt; ... &lt;/small&gt;</code>	Smaller
<code>&lt;span&gt; ... &lt;/span&gt;</code>	Inline text block [IE3+, NN4+, OP3.6+]
<code>&lt;strike&gt; ... &lt;/strike&gt;</code>	<del>Struck-out</del>
<code>&lt;sub&gt; ... &lt;/sub&gt;</code>	subscript [NN3+, IE3+, OP3.6+, WT]
<code>&lt;sup&gt; ... &lt;/sup&gt;</code>	superscript [NN3+, IE3+, OP3.6+, WT]
<code>&lt;tt&gt; ... &lt;/tt&gt;</code>	Fixed-width/monospace
<code>&lt;u&gt; ... &lt;/u&gt;</code>	<u>Underline</u>

### Inline (Logical Markup) Elements

<code>&lt;abbr&gt; ... &lt;/abbr&gt;</code>	Abbreviation [NN6, OP4]
<code>&lt;acronym&gt; ... &lt;/acronym&gt;</code>	Acronym [IE4+, NN6, OP4]
<code>&lt;cite&gt; ... &lt;/cite&gt;</code>	Citation
<code>&lt;code&gt; ... &lt;/code&gt;</code>	Typed code
<code>&lt;dfn&gt; ... &lt;/dfn&gt;</code>	Definition
<code>&lt;em&gt; ... &lt;/em&gt;</code>	Emphasized
<code>&lt;kbd&gt; ... &lt;/kbd&gt;</code>	Keyboard input
<code>&lt;q&gt; ... &lt;/q&gt;</code>	Inline quotation [IE4+, NN6, OP4]
<code>&lt;samp&gt; ... &lt;/samp&gt;</code>	Sample text
<code>&lt;strong&gt; ... &lt;/strong&gt;</code>	Strongly emphasized
<code>&lt;var&gt; ... &lt;/var&gt;</code>	A variable

### Special Markup: Inserted/Deleted Content

<code>&lt;del&gt; ... &lt;/del&gt;</code>	Deleted content [IE4+, NN6, OP4]
<code>&lt;ins&gt; ... &lt;/ins&gt;</code>	Inserted content [IE4+, NN6, OP4]